

RACORERÍA DE ACERO INOXIDABLE

Racores aptos para su uso en industria química, alimentaria, náutica, etc.

MATERIALES

SS316

CODO 90° CON ROSCAS HEMBRA (FIG. 090)



CÓDIGO RCIN13

Rosca hembra pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

TE CON ROSCAS HEMBRA (FIG. 130)



CÓDIGO RCIN14

Rosca hembra pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

ENTRONQUE DOBLE (FIG. 150)



CÓDIGO RCIN012

Rosca macho pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

CODO 90° CON ROSCAS MACHO-HEMBRA (FIG. 092)



CÓDIGO RCIN15

Rosca pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

ENTRONQUE SOLDAR CON ROSCA MACHO (FIG. 149)



CÓDIGO RCIN01

Rosca macho pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

REDUCCIÓN HEMBRA-HEMBRA (FIG. 240)



CÓDIGO RCIN017

Rosca hembra pulgadas	Rosca hembra pulgadas
1/4"	1/8"
3/8"	1/4"
1/2"	3/8"
3/4"	1/2"
1"	1/2"
1"	3/4"
1" 1/4	1"
1" 1/2	1"
1" 1/2	1" 1/4
2"	1"
3"	1" 1/2

REDUCCIÓN HEXAGONAL MACHO-HEMBRA (FIG. 241)



CÓDIGO RCIN02

Rosca macho pulgadas	Rosca hembra pulgadas
1/4"	1/8"
3/8"	1/4"
1/2"	3/8"
1/2"	1/4"
3/4"	1/2"
1"	3/4"
1" 1/4	1"
1" 1/2	1" 1/4
2"	1" 1/2
3"	2"

MACHÓN REDUCCIÓN (FIG. 245)



CÓDIGO RCIN16

Roscas macho pulgadas
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
3"
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
3"

PROLONGACIÓN HEMBRA-MACHO (FIG. 246)



CÓDIGO RCIN016

Rosca pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

MANGUITO CON ROSCAS HEMBRA (FIG. 270)



CÓDIGO RCIN03

Rosca hembra pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

MACHÓN DOBLE (FIG. 280)



CÓDIGO RCIN04

Rosca macho pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

TAPÓN CON ROSCA MACHO (FIG. 290)



CÓDIGO RCIN06

Rosca macho pulgadas
1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

TAPÓN CON ROSCA HEMBRA (FIG. 300)



CÓDIGO RCIN070

Rosca hembra pulgadas

1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

ENLACE 3 PIEZAS ROSCA HEMBRA (FIG. 340)



CÓDIGO RCIN09

Rosca hembra pulgadas

1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

ENLACE 3 PIEZAS ROSCA MACHO-HEMBRA (FIG. 341)



CÓDIGO RCIN10

Rosca pulgadas

1/8"
1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

ESPIGA CON ROSCA MACHO (FIG. 399)



CÓDIGO RCIN11

Rosca macho pulgadas

Ø Espiga mm.

1/8"	7
1/4"	9
3/8"	11
1/2"	15
3/4"	20
1"	25
1" 1/4	33
1" 1/2	40
2"	51
2" 1/2	67
3"	80

ESPIGA CON ROSCA HEMBRA GIRATORIA (FIG. 603)



CÓDIGO RCIN101

Rosca hembra pulgadas	Ø Espiga mm.
3/8"	13
1/2"	15
3/8"	20
1"	25
1" 1/4	33
1" 1/2	39
2"	51